

JL Пескоструйное оборудование Q3710 дробеметная установка SA2123, используется



Производитель :

JL

Номер продукта:

SA2123

Description

Дробеструйная машина

Производитель	JL Пескоструйное оборудование
Дизайн	
Модель	Q3710
Год производства	2012
Комментарий	для цветных материалов, литых иро и стальных деталей литья иковки

Технические данные

Общая производительность	2x220 кг/мин
Главный привод	37,7 кВт
Срок поставки	немедленно
Цена	по запросу





Q3710 Type Double Hook Shotblasting Machine
 Technical parameters

Name	Quantity	Technical parameters	Note
Blasting chamber	1	Size: 2000x2000x2000mm Effective cleaning range: Ø1200x1500mm	Manual to open the door Door seal top-linkage
Blasting wheel	2	Type: G360 Shot blasting capacity: 2x220kg/min Runner load speed: 3000 rpm Blasting speed: 73 m/s	Drive way: belt drive Motor power: 2x15kw
Abrasive media		Steel shot	
Elevator	2	Elevator capacity: 45 t/h	Reducer power: 5,5kw
Screw conveyor	1	Delivery capacity: 45 t/h	Reducer power: 2,2kw
Separator	1	Separate capacity: 45 t/h Wind speed: 4-5 m/s	Separation effect: >99% Use reducer with elevator
Feeding shot gate	2	Type: S928	Controlled by cylinder
Hook system	2	Electric hoist model: CD1T-6D Each hook capacity 1000 kg Lift speed:60/min Operation speed 20m/min	Load power: 2x1,5 kw Operation power: 2x0,2kw
Anti-rotation mechanism	1	Rotation speed: 4,5 r/min	Reducer power: 0,75kw
Dust collector	1	Filter type: filter cartridge Quantity: 12 pcs Air volume: 5000 m ³ /h	Blower type: 4 - Z2NO.4.5A Blower power: 7,5kw Vibration motor power: 0,55kw
Total power	1	~48,2 kw	Working 380V/50Hz Operating 220V/50Hz Consumption: 0,1 m ³ /h
Compressed air		Air pressure: 0,4-0,6 MPa	
First load shot quantity		3500 kg	
Dust discharge		5 mg/m ³	
Noise		85 dB	